




# UK Standards for Microbiology Investigations

**Review of users' comments** received by  
Working group for microbiology standards in clinical  
bacteriology

## TP 12 Deoxyribonuclease test



"NICE has renewed accreditation of the process used by **Public Health England (PHE)** to produce **UK Standards for Microbiology Investigations**. The renewed accreditation is valid until **30 June 2021** and applies to guidance produced using the processes described in **UK standards for microbiology investigations (UKSMIs) Development process, S9365', 2016**. The original accreditation term began in **July 2011**."

Recommendations are listed as ACCEPT/ PARTIAL ACCEPT/DEFER/ NONE or PENDING

Consultation: 06/04/2018 – 20/04/2018

Version of document consulted on: TP 12df+

Proposal for changes

<b>Comment number</b>	1		
<b>Date received</b>	18/04/2018	<b>Lab name/Professional body</b>	NHS Shetland
<b>Section</b>	page 8		
<b>Comment</b>			
You mention methylene green DNase agar-I just tried to order some from Oxoid Thermofisher who have discontinued this media. Does this need to be deleted therefore from this SMI?			
<b>Evidence</b>			
Email from Thermofisher: Unfortunately we don't have PO1000A, it's been withdrawn from sale. Would you like me to process the rest?			
<b>Financial barriers</b>			
<i>Not completed.</i>			
<b>Health benefits</b>			
<i>Not completed.</i>			
<b>Recommended action</b>	<p><b>NONE</b></p> <p>Other commercial companies produce this agar at the time of the writing.</p>		

**Respondents indicating they were happy with the contents of the document**

<b>Overall number of comments: 3</b>			
<b>Date received</b>	20/04/2018	<b>Lab name/Professional body</b>	IBMS
<b>Health benefits</b>			
<i>Not completed.</i>			
<b>Date received</b>	20/04/2018	<b>Lab name/Professional body</b>	SfAM
<b>Health benefits</b>			
<i>Not completed.</i>			
<b>Date received</b>	20/04/2018	<b>Lab name/Professional body</b>	PHE

<b>Health benefits</b>
No.